

PARTS LIST

TMAR-KC




Table of Contents

● GENERAL VIEW	
● FRAMING.....	A1-1
● TABLE.....	A1-2
● MAIN SHAFT DRIVE SYSTEM.....	A1-3
● CYLINDER BED 1.....	A1-4-1
● CYLINDER BED 2.....	A1-4-2
● COLOR CHANGE SYSTEM.....	A1-5
● ARM 1.....	A1-6-1
● ARM 2.....	A1-6-2
● NEEDLE BAR CASE 1.....	A1-7-1
● NEEDLE BAR CASE 2.....	A1-7-2
● FRONT COVER.....	A1-8
● CAM DRIVE SYSTEM.....	A1-9
● X-AXIS DRIVE SYSTEM.....	A1-10
● Y-AXIS DRIVE SYSTEM.....	A1-11
● AUXILIARY DRIVE SYSTEM.....	A1-12
● TENSION BASE.....	A1-13
● THREAD STAND.....	A1-14
● EMBROIDERY FRAME.....	A1-15
● ELECTRICAL PARTS.....	A1-16
● OPERATION PANEL.....	A1-17
● POSITION MARKER (OPTION).....	A1-18


Part Nos. of screws, nuts, washers etc. are listed at the end of volume.


*Regarding the part number that contains description of @, the part differs depending on model, spec. etc.

*When you place an order of such a part, please also inform us of your model, embroidery space and manufacturing number of the machine.

Ex.	TMAR-K906C	450 x 500S	No.01234
	[Model]	[Emb. Space]	[Mfg. No.]

GENERAL VIEW






FRAMING

A1-1

No.	Part Name	Part No.	Remark
1	STAND[A]	MA2@@@@@A00	
2	COVER :RIGHT-SIDE BOX	030430970000	
3	COVER :LEFT-SIDE BOX	030430980000	
4	COVER :STAND SIDE FACE :B	03041046B000	
5	FRAME :STAND	110450070000	
6	COVER :STAND BASE	030410150010	
7	LEVELING BOLT :M20*110	030530030000	
8	VIBRATION-PREVENTIVE BASE [S]	030520090S00	
9	WIRING COVER :A	1BD@@@01A000	
10	WIRING COVER :B	1BD@@@01B000	
11	STUD :NO.1 :M8-154.3	505108190000	
11	STUD :NO.1 :M8-125	505108180000	8H500P
12	STAND FRONT COVER :L :360P	03041047L000	
12	STAND FRONT COVER :L :500P	03041048L000	
13	STAND FRONT COVER :R :360P	03041047R000	
13	STAND FRONT COVER :R :500P	03041048R000	
14	STAND FRONT COVER :360P	030410490000	
14	STAND FRONT COVER :500P	030410500000	
15	STAND FRONT COVER :A :360P	03041049A000	
15	STAND FRONT COVER :A :500P	03041050A000	
16	STAND FRONT COVER :B :360P	03041049B000	
16	STAND FRONT COVER :B :500P	03041050B000	
17	TABLE HOLDER :STAND FRONT COVER	15213001@000	
18	TABLE HOLDER :STAND FRONT FACE COVER :A	1521301@A000	
19	TABLE HOLDER :STAND FRONT FACE COVER :B	1521301@B000	
20	TABLE HOLDER :FRONT	152130170000	
21	STOPPER :TABLE :FRONT	152130070060	
22	STOPPER :TABLE :REAR	152130060010	
23	MAIN NAME PLATE :TMAR-KC	14A20@@@0000	
24	TAJIMA BRAND NAME PLATE	030710110000	
25	CENTER SUPPORT :NO.1[S]	030510080S00	
26	VIBRATION-PREVENTIVE BASE[S]	030520040S00	
27	CASTER :STH-65 GNB	614300200000	
28	GROMMET WITH FILM :26A	644500210000	
29	LAMP :LED LIGHTING :16W	0J7101800000	
30	BUSHING :HARNESS :B :40MM DIA.	0J15011B0000	
31	CAP :HARNESS :30MM DIA.	0J1502100000	
32	BUSHING :HARNESS	0J1501100010	
33	LID :HANDLE	0L2210010000	
34	INSULATION TAPE :L250	644800010000	
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)




TABLE

A1-2

No.	Part Name	Part No.	Remark
1	TABLE	2A2@@@@@0000	
2	TABLE SUPPORT :NO.12 :L	15121013L000	
3	TABLE SUPPORT :NO.12 :R	15121013R000	
4	TABLE SUPPORT :NO.12	151210040050	
5	JOINT :TABLE	152140100020	
6	TABLE SUPPORT :NO.12 :L	15121005L050	
7	TABLE SUPPORT :NO.12 :R	15121005R050	
8	TABLE HOLDER :L	15213013L000	
9	TABLE HOLDER :R	15213013R000	
10	TABLE COVER :ATH BOX	134240130000	
11	STUD :NO.1 :M8*35	505108160000	
12	TRUSS HEAD TAPPING SCREW :4.5P*20	S530512001SD	
13	TRUSS HEAD TAPPING SCREW :4P*12	S530041201SD	
14	TRUSS HEAD TAPPING SCREW :4P*25	S530042501SD	
15	STOPPER :TABLE	030620030020	
16	TOGGLE CLAMP :GY1001	615500030001	
17	TABLE ALIGNING PLATE	152130050000	
18	BASE :TABLE STAY	030390160010	
19	BRACKET :TABLE STAY	030390170010	
20	STAY :TABLE[S]	030540020S10	
21	HOLDER :TABLE STAY	030540010000	
22	WING BOLT :M6*L12	S180061201SD	
23	WING BOLT :M6*L20	S180062001SD	
24	COUNTERSUNK TAPPING SCREW :4P*20	S550042001SD	
25	TRAVERSE SCALE	0P1200020000	
26	COUNTERSUNK TAPPING SCREW :3P*12	S550031201MZ	
27	NAME PLATE :EMERGENCY STOP SWITCH	0J5100600000	
28	BRACKET :EMERGENCY STOP	134290160000	
29	SWITCH :EMERGENCY STOP[A]	0J0603900A00	
30	REINFORCING PLATE :TABLE	030620070000	
31	Y-AXIS FEED GUIDE :FRONT	0F3290300000	
32	Y-AXIS FEED GUIDE :REAR	0F3290310000	
33	COVER :Y-AXIS FEED GUIDE	0F3290330000	
34	COLLAR :NO.1 :6MM DIA.	502506100000	
35	BASE :POSITIONING :TABLE :NO.1	030620080000	
36	HEXAGON SOCKET HEAD CAP SCREW :LOW HEAD :M5*8	S120050803TD	
37	BASE :POSITIONING :TABLE :NO.2	030620090000	
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



MAIN SHAFT DRIVE SYSTEM


A1-3

No.	Part Name	Part No.	Remark
1	SERVO MOTOR :MAIN SHAFT	0J6301300000	
2	BASE :MAIN SHAFT MOTOR	040230130000	
3	BRACKET :MAIN SHAFT MOTOR[S]	040230140S00	
4	TIMING PULLEY[S]	501454100S00	
5	TIMING PULLEY :A[S]	501446040S00	
6	TIMING PULLEY :B[S]	501457020S00	
7	BEARING CASE :NO.2[S]	508230020S00	
8	FLAT PULLEY[S]	501902040S00	
9	TIMING PULLEY :C	501446050000	
10	BEARING CASE :NO.2 :20MM DIA.[S]	508220060S00	
11	BEARING COLLAR :15MM DIA.	502715050010	
12	POINTER	040410220000	
13	ANGLE INDICATOR	040420300000	
14	TIMING BELT :MAIN SHAFT :A	625400200000	
15	TIMING BELT :MAIN SHAFT	62550002@000	
16	BASE SHAFT :ROTARY HOOK :500P	040130210000	
17	GEAR BOX :REGULAR ROTARY HOOK[S]	040130180S00	
18	SHAFT :GEAR BOX	040130190000	
19	SPUR GEAR :32T[S]	506132020S00	
20	SPUR GEAR :32T	506132030000	
21	BASE SHAFT :ROTARY HOOK	040130020000	
22	PLAIN WASHER :4.2*16*T2.3	519106010000	
23	STOPPER COLLAR :10MM DIA.	502110070000	
24	BEARING COLLAR :15MM DIA.	502715080000	
25	RULON WASHER :TW-1020	638400090000	
26	SPACER :NO.3 :T0.1-1	51030006@000	
27	N-COUPLING :N-15-15	504715010000	
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)

CYLINDER BED 1




CYLINDER BED 1

A1-4-1

No.	Part Name	Part No.	Remark
1	CYLINDER BED :NO.1 :REGULAR ROTARY HOOK	05012001A000	
2	R. H. BASE CONNECTING SHAFT :15MM DIA.	QQ4@@@@@0000	
3	N-COUPLING :N-15-15	504715010000	
4	BEARING COLLAR :15MM DIA.	502715080000	
5	BEARING :6003ZZ	630200080000	
6	SPIRAL BEVEL GEAR :NO.1 :28T	506528030000	
7	SPIRAL BEVEL GEAR :NO.1 :14T	506514030000	
8	OIL-BUSHING :NO.1 :7.94MM DIA.	509179090010	
9	PLAIN WASHER :7.94*19*T0.8	519108030000	
10	STOPPER COLLAR :7.94MM DIA.	502107020000	
11	SHAFT :ROTARY HOOK :7.94MM DIA.	050330430000	
12	OIL-BUSHING :NO.1 :7.94MM DIA.	509179020000	
13	NEEDLE PLATE BRACKET	050330580000	
14	SPRING PIN :3*12	611400080000	
15	ROTARY HOOK SUPPORT	050330600000	
16	ROTARY HOOK :FOR THICK THREAD KHS12-RYPOEET2	050230090000	
17	ROTARY HOOK SET SCREW	050290010000	
18	BOBBIN :REGULAR ROTARY HOOK	050260010020	
19	BOBBIN CASE :REGULAR ROTARY HOOK :STANDARD	050240150000	
20	COVER :NEEDLE PLATE BRACKET	050330590000	
21	COVER :CYLINDER BED	050330350010	
22	COVER :CYLINDER BED :FRONT	050330450020	
23	NEEDLE PLATE :COMMON USE	050340500000	
24	ROUND COUNTERSUNK HEAD SCREW :11/64*8.4B	511554010000	
25	BOSS :COMMON USE NEEDLE PLATE	05034051@000	2.0, 2.5mm Dia.
26	ROTARY HOOK BASE STUD	050310110000	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



CYLINDER BED 2


A1-4-2

No.	Part Name	Part No.	Remark
1	LEVER SHAFT :KNIFE CONNECTING PLATE[S]	050320850S20	
2	OIL-BUSHING :NO.1 :F81212162	638100370000	
3	LEVER :KNIFE CONNECTING PLATE SHAFT	050321000000	
4	CONNECTING PLATE :KNIFE	050320800010	
5	LEVER SHAFT :KNIFE[S]	050320040S30	
6	THREAD SEPARATING PLATE :DIRECT MOVEMENT 2-BLADE TYPE	050320930000	
7	MOVABLE KNIFE :DIRECT MOVEMENT 2-BLADE TYPE	050320920000	
8	FIXED KNIFE :DIRECT MOVEMENT 2-BLADE TYPE	050320940000	
9	UNDER THREAD PRESSER	050320740000	
10	SOLENOID :OPEN FRAME	640600020021	
11	BRACKET :PICKER SOLENOID	050320540000	
12	COVER :PICKER SOLENOID	050320360010	
13	COMPRESSION SPRING :0.6MM DIA.	507606020010	
14	O-RING :6.8MM DIA.	050320510000	
15	CONNECTING PLATE :PICKER	050320570010	
16	STEPPED SCREW :NO.1 :M2.5*6	512130010010	
17	ROTARY HOOK COVER[S]	050330610S00	
18	SHAFT :PICKER	050320750050	
19	E-RING :2MM DIA.	611100050000	
20	PICKER	050320760020	
21	HOLDER :PICKER SHAFT	050320840010	
22	FLAT FILLISTER HEAD SCREW :M6*10	511106010000	
23	STOPPER :PICKER	050320700000	
24	PLATE SPRING :ROTARY HOOK COVER :T0.2	507802050000	
25	STRAIGHT PIN :NO.1 :3MM DIA.	503101100000	
26	E-RING :4MM DIA.	611100070000	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)

COLOR CHANGE SYSTEM



COLOR CHANGE SYSTEM

A1-5

No.	Part Name	Part No.	Remark
1	SIDE BASE :CHANGE :L	07041001L000	
2	SIDE BASE :CHANGE :R[S]	07041002RS00	
3	JOINT PLATE :CHANGE :UPPER	07041003@000	
4	JOINT PLATE :CHANGE :LOWER	07041004@000	
5	GUIDE SHAFT :06/12/15-NEEDLE	07042001@000	
6	BASE :BALL SCREW	070420020000	
7	DRIVE BLOCK[S]	070420070S00	
8	JOINT BLOCK :CHANGE ROD	070420080000	
9	TIGHTENING COLLAR :12MM DIA.	502212020000	
10	PULSE MOTOR :56 SQUARE 54L :WITH SENSOR[A]	0J6110400A00	
11	BALL SCREW :CHANGE	07032012@000	
12	TIGHTENING COLLAR :10MM DIA.	502210040000	
13	KNOB :C	08052001C010	
14	BELT PRESSER PLATE :S3M-W6MM	070420040000	
15	BELT CATCHER :S3M	0L0350310000	
16	TIMING BELT :SPTG :W6	6211900@0000	
17	BEARING CASE :TIMING PULLEY :B[S]	070320020S00	
18	TIMING PULLEY :W6-10	501221010000	
19	STRAIGHT PIN :NO.2	503102190010	
20	POTENTIOMETER	640900010001	
21	BRACKET :POTENTIOMETER	0C0420020010	
22	KNOB :CLUTCH LEVER	080310170000	
23	GUIDE PLATE :POTENTIOMETER	070420050000	
24	STEPPED PIN :NO.2	503202050010	
25	COVER :CHANGE :UPPER[S]	07043005@S00	
26	COVER :CHANGE :LOWER[S]	07043006@S00	
27	SPACER :CHANGE	07043004@000	
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)


ARM 1

A1-6-1

No.	Part Name	Part No.	Remark
1	HEAD	080170010000	
2	BASE :BEARING	080290230000	
3	BRACKET :BEARING	080290240000	
4	SENSOR ARM	0C0230290000	
5	ROLLER PIN[S]	080290040S10	
6	TAKE-UP LEVER GUIDE RAIL	080280130000	
7	LINEAR WAY :NEEDLE BAR CASE	08025004@000	
8	REINFORCING PLATE	08025005@000	
9	HEAD SIDE COVER :UPPER	080430270000	
10	HEAD FRONT COVER :R	080420270000	
11	GUIDE BRACKET :NEEDLE BAR CASE	080250180000	
12	UPPER THREAD LOCK SOLENOID[A]	080270140A00	
13	HEAD FRONT COVER :L	080420260000	
14	LEVER :DRIVE[S]	080270040S10	
15	COLLAR :NO.1 :3.1MM DIA.	502505010000	
16	TORSION SPRING :0.5MM DIA.	507305020020	
17	LEVER :SOLENOID	080270010010	
18	SOLENOID :OPEN FRAME	640600121001	
19	JUMP[A]	080320600A00	
20	LEVER :CLUTCH :A[S]	080320580S00	
21	BASE :CLUTCH	080320570000	
22	LEVER :CLUTCH :B	080320590000	
23	LEVER :JUMP	080320560000	
24	SCREW WITH ROLLER PIN :NO.7 :M4[S]	514704020S00	
25	TORSION SPRING :1.0MM DIA.	507310060000	
26	STEPPED SCREW :NO.1 :9/64*10	512153020000	
27	DAMPER RING :4MM DIA.	080320410000	
28	STUD :NO.1 :M4-6.5	505104250000	
29	BRACKET :JUMP MOTOR	080320550000	
30	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6105100010	
31	UPPER THREAD HOLDER[A]	0B0110730A00	
32	HEAD SIDE COVER :UNDER	080430260000	
33	GUIDE :HOOK	0B0110660000	
34	BASE :HOOK MOTOR	0B0110670000	
35	CONNECTING PLATE :HOOK	0B0110080010	
36	JOINT :HOOK	0B0110690000	
37	HOOK	0B0110700000	
38	DAMPER RING :4MM DIA.	080320410000	
39	LEVER :UPPER THREAD HOOK	0B0120030000	
40	TORSION SPRING :0.8MM DIA.	507308190010	
41	STEPPED SCREW :NO.1 :M4*6.7	512104100040	
42	SPACER :SLIDE HOOK	0B0110370010	
43	SLIDE :HOOK	0B0110510000	
44	WASHER :2.6*7*T0.5	519204010000	
45	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
46	PULSE MOTOR :42MM SQUARE :DOUBLE-END	0J6107802000	
47			
48			
49			
50			


Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



No.	Part Name	Part No.	Remark
1	NEEDLE BAR RECIPROCATOR[A]	080210530A00	
2	RECIPROCATOR :NEEDLE BAR	080210480000	
3	SLEEVE :NEEDLE BAR RECIPROCATOR[S]	080210490S00	
4	RECIPROCATING SLIDE BLOCK :NEEDLE BAR	080210510000	
5	STOPPER :NEEDLE BAR RECIPROCATOR	080210520000	
6	TORSION SPRING :0.7MM DIA.	507307040000	
7	HEXAGON SOCKET HEAD CAP SCREW :M3*10	511903030000	
8	FELT :NEEDLE BAR DRIVE SHAFT	080240260000	
9	NEEDLE BAR DRIVE SHAFT :D	080210561000	
10	NEEDLE BAR DRIVE SHAFT	080210560000	
11	WICK :3.5P*183	080240020010	
12	SLEEVE :NEEDLE BAR RECIPROCATOR GUIDE	080210590000	
13	RECIPROCATOR :PRESSER FOOT[S]	080210550S00	
14	CUSHION RUBBER :T0.5	080240250000	
15	WICK :2.5*1*22	080240120010	
16	STEPPED SCREW :NO.2 :M4*12	512204040000	
17	CONNECTING ROD :PRESSER FOOT	080230330000	
18	CRANK :PRESSER FOOT	080230280000	
19	FELT :HEAD	080240240000	
20	STEPPED PIN :NO.2[S]	503202070S00	
21	PULSE MOTOR :42MM SQUARE 44L :WITH SENSOR[A]	0J6110000A00	
22	BRACKET :BELT COVER	080290250000	
23	TIGHTENING COLLAR :28MM DIA.	502224010000	
24	TIMING PULLEY :DRIVE[S]	080290200S00	
25	TIMING BELT	628600010000	
26	TIMING PULLEY :DRIVEN[S]	080290220S00	
27	BEARING :6202ZZNR	630300120000	
28	BASE :TAKE-UP LEVER CAM	080220370000	
29	WASHER :CAM	080220180000	
30	CAM :TAKE-UP LEVER :M6	080220380000	
31	SHAFT :HEAD	080210570000	
32	CRANK :NEEDLE BAR	080210580000	
33	CONNECTING ROD :NEEDLE BAR[S]	080230300S00	
34	STEPPED SCREW :NO.2 :11/64*25.5	512254010000	
35	IDLE PULLEY[A]	080290290A00	
36	BASE :IDLE PULLEY	080290280000	
37	FLAT PULLEY :30MM DIA.[S]	501904030S00	
38	STEPPED SCREW :NO.1 :M6*21	512106020000	
39	STRAIGHT PIN :NO.1 :10MM DIA.	503101540000	
40	STOPPER COLLAR :10MM DIA.	502110100000	
41	ARM :TAKE-UP LEVER[S]	080230270S00	
42	LEVER :TAKE-UP LEVER[S]	080230320S00	
43	BEARING CASE BUSHING :NO.1 :10MM DIA.	509510020000	
44	LID :TAKE-UP LEVER SHAFT HOLDER :15.3MM DIA.	080290270000	
45	COVER :BELT	080290260000	
46			
47			
48			
49			
50			

NEEDLE BAR CASE 1



NEEDLE BAR CASE 1

A1-7-1

No.	Part Name	Part No.	Remark
1	NEEDLE BAR CASE	09015001@000	
2	RAIL :CASE :LOWER	09044003@000	
3	RAIL GUIDE	09044004@000	
4	FELT :NEEDLE BAR/PRESSER FOOT	090430150000	
5	FELT :PRESSER FOOT	090430160000	
6	NEEDLE BAR GUIDE	09045013@000	
7	NEEDLE BAR	090410040000	
8	NEEDLE CLAMP	0L0470890000	
9	SCREW WITH PIN :NO.1 :9/64-8	513153080000	
10	COMPRESSION SPRING :0.5MM DIA.	507605180000	
11	STOPPER :UPPER DEAD POINT	090420090000	
12	O-RING :S-3	612200210000	
13	SHAFT :PRESSER FOOT[S]	090460330S00	
14	PRESSER FOOT CONNECTING STUD	090420100000	
15	COMPRESSION SPRING :0.4MM DIA.	507604050000	
16	PRESSER FOOT :2MM DIA./3MM DIA.	09046034@000	
17	SLOTTED HEAD SET SCREW :11/64*6B	511754010010	
18	NEEDLE BAR CONNECTING STUD	090420060010	
19	DAMPER RING :E	090430010000	
20	DAMPER :B :T1	090430060000	
21	FELT PACKING	090430040000	
22	COMPRESSION SPRING :0.5MM DIA.	507605030040	
23	TORSION SPRING :1MM DIA.	507310040010	
24	LEVER :STOPPER	090320010000	
25	SPRING HOOK BAR	09033002@000	
26	GUIDE SHAFT :TAKE UP LEVER	09033001@000	
27	SPLIT COLLAR :NO.1 :8MM DIA.	502308010010	
28	SPLIT COLLAR :NO.2 :8MM DIA.	502408020010	
29	PARALLEL PIN :4*16-H7	611200050000	
30	TAKE-UP LEVER[A]	090310110A00	
31	TAKE-UP LEVER[S]	090310090S00	
32	THREAD GUIDE COLLAR :2MM DIA.	516503020000	
33	BOSS :TAKE-UP LEVER	090310100000	
34	NEEDLE :DB-K5Z1 #11	616500080000	
35	FLAT FILLISTER HEAD SCREW :9/64*12	SA41741201UN	
36	BRACKET :CHANGE ROD :L	08026001L000	
37	BRACKET :CHANGE ROD :R	08026001R000	
38	FLAT FILLISTER HEAD SCREW :M4*10	511104010010	
39	CHANGE ROD :A	QA2@040@0100	
40	CHANGE ROD :B	QA2@040@0200	
41	SCREW JOINT :M6	504506010010	
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



NEEDLE BAR CASE 2


A1-7-2

No.	Part Name	Part No.	Remark
1	TOP COVER :TMAR	09053011@000	
2	MIDDLE THREAD GUIDE BASE	09021036@000	
3	SIDE COVER :R	09053014R000	
3	SIDE COVER :R :15-NEEDLE	09053009R000	
4	SIDE COVER :L	09053013L000	
4	SIDE COVER :L :15-NEEDLE	09053008L000	
5	PAN HEAD SCREW :9/64*40	511353020000	
6	MIDDLE THREAD GUIDE :WITH COVER :0.4-0.5MM DIA.[A]	09021038@A00	
7	FRONT FACE COVER :MIDDLE THREAD GUIDE	090530120000	
8	BASE :MIDDLE THREAD GUIDE :0.4-0.5MM DIA.[A]	09021037@A00	
9	BASE :MIDDLE THREAD GUIDE	090210370000	
10	SPRING SHAFT :THREAD TAKE-UP SPRING	090210330000	
11	THREAD TAKE-UP SPRING :0.4MM DIA.	507204020000	
11	THREAD TAKE-UP SPRING :0.5MM DIA.	507205020000	
12	COLLAR :THREAD TAKE-UP SPRING	090210340000	
13	STRAIGHT PIN :NO.1 :3MM DIA.	503101150020	
14	GROMMET :MIDDLE THREAD GUIDE BASE	090210350000	
15	HEXAGON SOCKET HEAD FLANGE SCREW :M3*5	S123030501TD	
16	FACE COVER :TMAR	09051017@000	
17	STEPPED SCREW :NO.1 :9/64*8.8	512153150000	
18	UPPER THREAD LOCK[A]	08027016@A00	
19	BASE :UPPER THREAD LOCK	08027009@050	
20	LOCK SHAFT[S]	080270150S00	
21	COMPRESSION SPRING :0.3MM DIA.	507603040030	
22	E-RING :1.5MM DIA.	611100040000	
23	UPPER THREAD HOLDER[A]	0B020031@A00	
24	BRACKET :UPPER THREAD HOLDER	0B0200300000	
25	THREAD SUSPENDER DISK	0B0200050000	
26	COMPRESSION SPRING :0.3MM DIA.	507603020010	
27	PRESSER :THREAD SUSPENDER SPRING	0B0200060000	
28	STEPPED SCREW :NO.1 :9/64*7.5	512153040000	
29	BASE :UPPER THREAD HOLDER[S]	0B020009@S00	
30	BASE :UPPER THREAD HOLDER	0B020009@000	
31	VELCRO	0B020007@000	
32	UPPER THREAD HOLDER[S]	0B020018@S00	
32	UPPER THREAD HOLDER :15-NEEDLE[S]	0B020032XS00	
33	UPPER THREAD HOLDER	0B020018@000	
33	UPPER THREAD HOLDER :15-NEEDLE	0B020032X100	
34	COLLAR :NO.1 :3MM DIA.	502503070010	
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)

FRONT COVER




FRONT COVER

A1-8

No.	Part Name	Part No.	Remark
1	HEAD L COVER :NO.1	170120150000	
2	FRONT COVER :NO.3	17213@@@0000	
3	FRONT COVER :NO.2	17212@@@0000	
4	FRONT COVER :NO.1	17211@@@0000	
5	HEAD R COVER :NO.1	170110130000	
6	SHAFT COVER	17013043@000	
7	BASE :EMERGENCY STOP SWITCH	17143@@@0000	
8	BASE :START/STOP SWITCH	17133@@@0020	
9	SWITCH :EMERGENCY STOP[A]	0J0603900A00	
10	SWITCH :CYLINDER HEAD[A]	0J0603300A10	
11	CORD CLAMP	0J1501800000	
12	BRACKET :SHAFT COVER	030460220000	
13	BRACKET :FRONT COVER :L[S]	17111015LS00	
14	BRACKET :FRONT COVER :R[S]	17111015RS00	
15	BRACKET :FRONT COVER :L[S]	17111014LS00	
16	BRACKET :FRONT COVER :R[S]	17111014RS00	
17	NAME PLATE :EMERGENCY STOP SWITCH	0J5100600000	
18	LABEL :START/STOP SWITCH	644500160000	
19	BRACKET :ENCODER	040330020000	
20	BASE :TENSION	040370010000	
21	ROTARY ENCODER	0J4204300000	
22	COLLAR :NO.1 :3MM DIA.	502503070010	
23	BASE :ENCODER :B	0J4101100000	
24	BEARING :6901ZZ	630200270000	
25	STEPPED PIN :NO.2	503202020000	
26	TIMING PULLEY :W10-24	501424020000	
27	TIMING BELT :SPTG :W10-S5M0225/G	623100050000	
28	TIMING PULLEY :DRIVE[S]	040370020S00	
29	TIGHTENING COLLAR :28MM DIA.	502224010000	
30	COVER :ENCODER	040370030000	
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



CAM DRIVE SYSTEM

A1-9

No.	Part Name	Part No.	Remark
1	BASE :ATH	0E011008C000	
2	PLAIN WASHER :12.5*22*T0.1-1	51911401@000	
3	SOLENOID :ROTARY	640600090011	
4	BRACKET :ATH SOLENOID	0E0210450010	
5	LEVER :ATH SOLENOID	0E0210570000	
6	SCREW WITH ROLLER PIN :NO.1[S]	514131010S10	
7	STOPPER :ATH CONNECTING PLATE ARM	0E0210540000	
8	BRACKET :RETRACTABLE SENSOR	0E0210630000	
9	CARD :MAGNETIC SENSOR A	0J4204400000	
10	SPLIT COLLAR :NO.2 :8MM DIA.	502408020010	
11	RULON WASHER :TW-0815	638400050000	
12	STRAIGHT PIN :NO.1 :8MM DIA.	503101190010	
13	SCREW WITH PIN :NO.4 :M6-36	513106010010	
14	ARM :ATH CONNECTING PLATE	0E0210420000	
15	LEVER :ATH CAM	0E0210400000	
16	ROLLER PIN[S]	514405020S00	
17	O-RING :P-8	612200060000	
18	CONNECTING PLATE :ATH ARM	0E0210170000	
19	MAGNET PIN[S]	0E0210680S10	
20	COLLAR :NO.1 :4.1MM DIA.	502541010000	
21	CONNECTING PLATE :ATH	0E02600@0000	
22	CAM :ATH	0E0210160010	
23	SPLIT COLLAR :NO.1 :15MM DIA.	502315020010	
24	STOPPER COLLAR :15MM DIA.	502115030000	
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



X-AXIS DRIVE SYSTEM


A1-10

No.	Part Name	Part No.	Remark
1	Z-SPEC. FRAME[S]	0F411042@S00	
2	LINEAR WAY	6603000@0000	
3	SLIDE BASE[A]	0F412022@A00	
4	RAIL PLATE :1.6*30	0F416057@000	
5	HOLDER :TIMING PULLEY	0F4160350000	
6	PLATE :TENSION BASE	0F4160410000	
7	BASE :TENSION	0F4160420000	
8	TIMING PULLEY :W30-16[S]	501463010S00	
9	STEPPED PIN :NO.1	503201020000	
10	RULON WASHER :TW-1020	638400090000	
11	SENSOR PLATE :NO.1[S]	0F4140060S00	
12	BRACKET :Z-SPEC. FRAME DRIVE BASE :L	0F416034L000	
13	BRACKET :Z-SPEC. FRAME DRIVE BASE :R	0F416034R000	
14	LID :TAKE-UP LEVER BEARING CASE :13MM DIA.	080290010000	
15	CARD :MAGNETIC SENSOR A	0J4204400000	
16	BASE :ROLLER PIN	0F4160560000	
17	BEARING :SSR1760ZZ	631200050000	
18	STEPPED SCREW :NO.1 :M4*16.5	512104080010	
19	STEPPED SCREW :NO.1 :M4*4	512104200000	
20	PLATE :X MOTOR :A	0F4150210000	
21	PLATE :X MOTOR :B	0F4150220000	
22	JOINT :X MOTOR PLATE	0F4150230000	
23	COVER :X SPEED REDUCTION BELT	0F4150240000	
24	BASE :X MOTOR	0F4150250000	
25	SERVO MOTOR :X-AXIS DRIVE	0J6301200000	
26	BASE :TENSION SHAFT HOLDER	0F4150150000	
27	TIMING PULLEY :W20-16	501440030000	
28	TIMING BELT :X REDUCTION	625400190000	
29	STEPPED PIN :NO.1	503201140000	
30	COLLAR :NO.1 :10MM DIA.	502510050000	
31	TIMING PULLEY :W20-48[S]	501445080S10	
32	BEARING CASE PLATE	0F4160390000	
33	BASE :BEARING CASE PLATE	0F4160400000	
34	TIMING BELT :MA5 :W30/LY	623C000@0000	
35	BASE :BELT CATCHER	0F4160580000	
36	BASE :BEARING CASE PLATE	0F4160400000	
37	BELT CATCHER :X	0F4160370000	
38	REINFORCING PLATE :BELT CATCHER PLATE	0F4160470010	
39	COVER :X SPEED REDUCTION	0F4150260000	
40	COVER :X MOTOR	0F4150270000	
41	COVER :Z-SPEC. FRAME	0F411043@000	
42	TRAVERSE SCALE	0P1200020000	
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)

Y-AXIS DRIVE SYSTEM



Y-AXIS DRIVE SYSTEM

A1-11

No.	Part Name	Part No.	Remark
1	Y-DRIVE BASE :NO.9[S]	160910070S00	
2	TIMING BELT :MA5 :W25-272E/LY	623B00020000	
3	BRACKET :Y DRIVE BASE	0F4220070000	
4	BRACKET :Y-DRIVE BASE	0F4220030020	
5	LINEAR WAY :LWL-15C2R580	660300050000	
6	BELT CATCHER :NO.2 :Y	0F4230230010	
7	BELT CATCHER :NO.1 :Y	0F4230240000	
8	BRACKET :Y-AXIS SENSOR[S]	0F0110170S00	
9	BRACKET :ORIGIN SENSOR	0F4230250010	
10	CARD :MAGNETIC SENSOR A	0J4204400000	
11	SIDE COVER :Y-DRIVE BASE	0F4230220000	
12	HOLDER :TIMING PULLEY	0F4210010010	
13	TIMING PULLEY :W25-16	501452040010	
14	NEEDLE BEARING :HK-1010	634100060000	
15	RULON WASHER :TW-1020	638400090000	
16	STRAIGHT PIN :NO.1 :10MM DIA.	503101200010	
17	SIDE COVER :Y-DRIVE BASE	0F4230170000	
18	BEARING COLLAR :12MM DIA.	502712020000	
19	TIMING PULLEY :W25-16	501452020010	
20	Y SHAFT	QA2@030@0000	
21	SHAFT :Y-AXIS PULLEY	0F0170110010	
22	TIGHTENING JOINT :20MM DIA.	504320010010	
23	TIGHTENING JOINT :12MM DIA.	504312010010	
24	Z-SPEC. FRAME ARM :L	0F423059L000	
25	Z-SPEC. FRAME ARM :R	0F423059R000	
26	BRACKET :Y SPEED REDUCTION BOX	0F0220100000	
27	BASE :Y MOTOR	0F4240070000	
28	Y SPEED REDUCTION BOX[S]	0F0210060S00	
29	COVER :SPEED REDUCTION BOX	0F0220010000	
30	SERVO MOTOR :MAIN SHAFT/FRAME DRIVE	0J6301100000	
31	COVER :Y MOTOR	0F0220110000	
32	TIMING PULLEY :W40-20	501480010000	
33	SPECIAL SCREW :UNBRAKO :KCP :M8*8	690200010000	
34	BEARING COLLAR :19MM DIA.	502719010010	
35	BEARING COLLAR :20MM DIA.	502720010000	
36	BEARING CASE :NO.2 :25MM DIA.[S]	508225010S10	
37	SCREW WITH PIN :NO.1 :M8-74.5	513110030010	
38	SHAFT :Y SPEED REDUCTION-AUXILIARY DRIVE	0F0220090000	
38	SHAFT :Y SPEED REDUCTION	0F0220040010	2H500P, 4H360P, 8H500P
39	BRACKET :20MM DIA. SHAFT	0F4230570000	
40	GUIDE :20MM DIA. SHAFT	0F4230580000	
41	TIGHTENING COUPLING :15MM DIA.	504315010000	
42	TRUSS HEAD TAPPING SCREW :4P*16	S530041601SD	
43	FLAT PULLEY[S]	501908010S00	
44	STAR LOCK :STL21S20*39	504820010000	
45	TIMING PULLEY :W40-60	501482010000	
46	TIMING BELT :SPEED REDUCTION BOX	625A00010000	
47			
48			
49			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.


(QS04)



AUXILIARY DRIVE SYSTEM

A1-12

No.	Part Name	Part No.	Remark
1	BASE :AUXILIARY DRIVE SYSTEM	0F4320310000	
2	BEARING CASE :NO.3 :15MM DIA.[S]	508315010S00	
3	NEEDLE COLLAR :15MM DIA.	502815010000	
4	TIMING PULLEY :W25-16[S]	501452070S10	
5	AUXILIARY DRIVE SYSTEM	0F4320320000	
6	LINEAR WAY :A :ZLWL-1518C2R580	66030005A000	
7	ARM :AUXILIARY DRIVE SYSTEM	0F4320330000	
8	BRACKET :AUXILIARY DRIVE ARM	0F4320170000	
9	BELT CATCHER :NO.1	0F4320260000	
10	BELT CATCHER :NO.2	0F4320270000	
11	TIMING BELT :MA5 :W25-310E/LY	623B00030000	
12	TIMING PULLEY :W25-16[S]	501452040S10	
13	NEEDLE BEARING :HK-1010	634100060000	
14	PLASTIC WASHER :10.2*15*T0.5	519212030000	
15	STEPPED PIN :NO.1	503201040000	
16	E-RING :7MM DIA.	611100100000	
17	FLAT PULLEY :50MM DIA.	501903030000	
18	STRAIGHT PIN :NO.4 :10MM DIA.	503104020010	
19	GUIDE PLATE :HOLDER	0F4320240000	
20	HOLDER :TIMING PULLEY	0F4210010010	
21	COVER :SLIDE RAIL	0F4320210000	
22	COVER :AUXILIARY DRIVE	0F4320220000	
23	STAY :AUXILIARY DRIVE SYSTEM	0F4320340000	
23	STAY :AUXILIARY DRIVE	0F4320230000	8H500P
24	COVER :TIMING BELT	0F4320030000	
25	SHAFT :AUXILIARY DRIVE SYSTEM PULLEY	0F4320280000	
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			




TENSION BASE

A1-13

No.	Part Name	Part No.	Remark
1	TENSION BASE :ROTARY[A]	0C012003@A00	
2	TENSION BASE :ROTARY[S]	0C012003@S00	
3	ROTARY TENSION DISK	0C0230120010	
4	SHAFT :ROTARY TENSION DISK	0C0230130030	
5	BASE :ROTARY TENSION DISK[S]	0C0230190S20	
6	SLIT PLATE :ROTARY DISK :50	0J4203800000	
7	KNOB :THREAD TENSION :A	0C0220150000	
8	SPRING HOOK	0C0220080000	
9	TAPER SPRING :0.6MM DIA.	507706010000	
9	TAPER SPRING :0.7MM	507707020010	Thick Thread
10	TENSION DISK	0C0210020000	
11	THREAD TENSION STUD :WITH GROOVE	0C0210040000	
12	BASE :THREAD PRESSER	0C022029@000	
13	COUNTERSUNK TAPPING SCREW :3P*10	S550031001SD	
14	TRUSS HEAD SCREW :STEPPED :M3*4*2	S132030401TD	
15	TAPER SPRING :0.2MM DIA.	507702010000	
16	THREAD PRESSER	0C0220280000	
17	UPPER THREAD GUIDE :TENSION BASE	0C022017@020	
18	COUNTERSUNK TAPPING SCREW :3P*8	S550030801SD	
19	LAMP COVER :TENSION BASE	0C0250050000	
20	CARD :TENSION BASE[A]	0J2602500A00	
21	COATED CLIP :5	644500150000	
22	COVER :TENSION BASE[S]	0C015007@S00	
23	RAIL :THREAD BREAKAGE SENSOR	0C023014@000	
24	TC SENSOR[A]	0J2602300A20	
25	BRACKET :TC SENSOR CARD	0C0230220010	
26	CARD :TC SENSOR	0J2602100010	
27	TRUSS HEAD TAPPING SCREW :3P*6	S530030601SD	
28	DISK GUARD :A	0C023020@010	
29	DISK GUARD :C	0C023025@000	
30	PLATE SPRING :T0.3	507803050000	
31	SCREW BUSHING :NO.2 :M4	509804050000	
32	IO LABEL :TENSION BASE	0P0600110000	
33	DIRECTION LABEL :TENSION BASE	0P0600120000	
34	BRACKET :TENSION BASE :L[S]	0C024003LS00	
35	BRACKET :TENSION BASE :R[S]	0C024003RS00	
36	TENSION BASE CORD COVER	0C054027@000	
36	TENSION BASE CORD COVER :LAST HEAD	0C054028@000	
37	GROMMET	0C0250090000	
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



THREAD STAND


A1-14

No.	Part Name	Part No.	Remark
1	THREAD STAND PLATE	1DA@@@@@@010	
2	BASE :THREAD STAND PLATE	0D011004A020	
2	BASE :THREAD STAND PLATE	0D011004B020	15-Needle
3	COLLAR :NO.2 :7MM DIA.	502607010000	
4	COLLAR :NO.1 :5MM DIA.	0D0210140010	
5	JOINT :SPIRAL TUBE	0D0210130000	
6	SPIRAL TUBE :L230[A]	0D0210052A00	
7	BASE :THREAD STAND STUD	0D0110420000	
8	THREAD STAND STUD	0D0110410000	
9	FELT :THREAD STAND PLATE :T10	0D0110022000	
10	THREAD COURSE SUPPORT BAR :L345	0D0210313010	
11	THREAD STAND BLADE	0D0110010010	
12	THREAD COURSE	1EA@@@@@@@@00	
13	THREAD GUIDE COLLAR :4MM DIA.	51650101@000	
14	THREAD TENSION :TUBE	UD1100000000	
15	KNOB :THREAD TENSION :A	0C0220150000	
16	SPRING HOOK	0C0220080000	
17	TAPER SPRING :0.6MM DIA.	507706010000	
18	TENSION DISK	0C0220160010	
19	THREAD TENSION STUD :WITH GROOVE	0C0210040000	
20	THREAD TENSION GUIDE :TUBE	0D0210150030	
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			


Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)

EMBROIDERY FRAME



OPTION



EMBROIDERY FRAME

A1-15

No.	Part Name	Part No.	Remark
1	JOINT PLATE :FRAME HOLDER :P360[S]	0G3150080S10	
2	JOINT PLATE :FRAME HOLDER :P500[S]	0G3150110S10	
3	KNOBBED SCREW :NO.2 :M5*6[S]	511F05060S10	
4	PLATE SPRING :HOLDER BASE :T1.5	507815060010	
5	STOPPER :NO.2	0G314002B020	
6	STOPPER :NO.1	0G314001A020	
7	FRAME HOLDER :R :Y450[S]	0G314016RS20	
8	FRAME HOLDER :L :Y450[S]	0G314016LS20	
9	FRAME HOLDER :L :Y450[S]	0G3140170S20	
10	HOLDER :TUBULAR GOODS FRAME :EY450[S]	0F4160620S00	
11	BORDER FRAME[A]	30H@@00@0A00	
12	BORDER FRAME CLIP :BFF6	0G052007@040	
13	Y-AXIS FEED PLATE[A]	0F3290320A00	
14	KNOBBED SCREW :NO.2 :M5*8[S]	511F05100S00	
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)




ELECTRICAL PARTS

A1-16

No.	Part Name	Part No.	Remark
1	BASE :CARD	030190550000	
2	COUNTER :ELECTRO-MAGNETIC	0J4500200010	
3	CARD :CONTROLLER[A]	0J2305900A00	
4	CARD :EXTENSION I/O[A]	0J3102200A00	
5	DC POWER SUPPLY :12V/5V :60W	645300440000	
6	DC POWER SUPPLY :24V :300W	645300430000	
7	DC POWER SUPPLY :24V :150W	645300450000	
8	INSULATION TAPE :L250	644800010000	6H or more
9	BRACKET :DC POWER SUPPLY	030190560000	
10	BREAKER :3-PHASE :12.5A	646100270000	
11	SHUNT RELEASE	646100290000	
12	LEVER :ROTARY TYPE	646100300000	
13	ACCESSORY :FIXING	644501520000	
14	BRACKET :BREAKER	030130240000	
15	COVER :BREAKER HANDLE	030130250000	
16	BRACKET :LAN CONNECTOR	030190540000	
17	CONNECTOR :LAN RELAY	643500210000	
18	NOISE FILTER :SINGLE-PHASE :16A	641400210000	
18	NOISE FILTER :3-PHASE :10A	641400220000	
19	TERMINAL BASE :4P	643400210000	
20	BASE :FG TERMINAL	030190570000	
21	CARD :CONVERTER :SINGLE-PHASE[A]	0J2102700A00	
21	CARD :CONVERTER :3-PHASE[A]	0J2102500A00	
22	COVER :POWER SUPPLY	030150470000	
23	BASE :DRIVER CARD	030190530000	
24	DRIVER :AC 50A[A]	0J2206000A00	
25	CARD :TERMINATOR[A]	0J3201300A00	
26	CARD :HEAD[A]	0J2704100A00	
27	BASE :TRANSFORMER :C	0J1801800000	
28	TRANSFORMER :SEPARATE :X13A[A]	0J0901400A20	Single-phase
28	TRANSFORMER :SEPARATE :X15[A]	0J0902400A00	3-phase
29	SPACER :HEXAGON :L10 :M3	644501330000	
30	SPACER :HEXAGON :L55 :M3	644501500000	
31	SPACER :BSB-314E	644501590000	
32	TRUSS HEAD TAPPING SCREW :3P*8	S530030801SD	
33	SPACER :DOUBLE LOCKING :WLS-13-0	644501600000	
34	COVER :X/Y-AXIS DRIVER CARD	030190520000	
35	HOLDER :HARNESS :C	03014003C000	
36	BRACKET :HEAD CARD	0J1941800000	
37	SPACER :HEXAGON :L15 :M5	644501510000	
38	STUD :NO.1 :M4-14	505104140000	
39	COVER :HARNESS	0L2220040000	
40	BRACKET :HARNESS	0L2220030000	
41	UNIVERSAL BUSHING :KG-010 :L38	644501620000	
42			
43			
44			
45			
46			
47			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)



OPERATION PANEL


A1-17

No.	Part Name	Part No.	Remark
1	LCD OPERATION PANEL :12.1 INCH[A]	0J0401600A10	
2	CASE :CONTROLLER PANEL :FRONT[S]	0J1412700S10	
3	LCD PANEL :12.1	0J0401500000	
4	CARD BASE :CONTROLLER	0J1413100000	
5	CASE :CONTROLLER PANEL :REAR[S]	0J1412800S00	
6	CARD :TOUCH PANEL :CONTROL[A]	0J3503700A00	
7	CARD :PANEL CPU :OPERATION PANEL[A]	0J3504300A00	
8	CARD :PANEL :USB[A]	0J3503900A00	
9	COMPACT FLASH CARD :OPERATION PANEL	0J1413400010	
10	CARD :PANEL :SWITCH[A]	0J3503800A00	
11	BUTTON :TRIANGLE :SWITCH	0J1412900000	
12	BUTTON :CIRCLE :SWITCH	0J1413000000	
13	SPEAKER :OPERATION PANEL	0J1413300000	
14	LABEL :LCD OPERATION PANEL :12.1 INCH	0J5105600000	
15	CLAMP :CONTROLLER PANEL	030220960000	
16	BRACKET :CONTROLLER PANEL :L	03022095L000	
17	BRACKET :CONTROLLER PANEL :R	03022095R000	
18	SCREW WITH PIN :NO.4 :M6-75	513406010000	
19	KNOBBED SCREW :NO.2 :M5*9[S]	511F05080S10	
20	PIPE :CONTROLLER :L360[S]	030210500S00	
21	BASE :EMERGENCY STOP SWITCH[S]	030230170S10	
22	SWITCH :EMERGENCY STOP[A]	0J0603900A00	
23	DUST CAP :USB	644500490000	
24	SPACER :HEXAGON :BSB-312	644500800000	
25	GROMMET WITH FILM :26A	644500210000	
26	PROTECTING SHEET :TOUCH PANEL :12.1	0J1402900000	
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS07)

POSITION MARKER (OPTION)



POSITION MARKER (OPTION)

A1-18

No.	Part Name	Part No.	Remark
1	POSITION MARKER[T]	0L2300200T00	
2	HOLDER :POSITION MARKER[S]	0L2300170S00	
3	SHAFT :POSITION MARKER :3MM DIA.	0L2300180000	
4	CLAMP :POSITION MARKER	0L2300160000	
5	FLAT FILLISTER HEAD SCREW :9/64*40*4	SA41740404CN	
6	COLLAR :NO.1 :4MM DIA.	502540060000	
7	POSITION MARKER[A]	0J7100200A20	
8	CLIP :MARKER	0L2300190000	
9	E-RING :2MM DIA.	611100050000	
10	BUNDLING BAND :KB-2B :BLACK	644100050000	
11	BASE :POSITION MARKER[S]	0L2300150S00	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			

Note: As for parts with mark @, please follow our instructions on Table of Contents in your parts order.

(QS04)

No.	Part No.	Remark	No.	Part No.	Remark
A	Flat Fillister Head Screw		B15	S120031203TD	M3*12
A1	SA41730351CN	1/8*44*3.5	B16	S120031201TN	M3*12
A2	SA41730501CN	1/8*44*5	B17	S120031502TD	M3*15
A3	SA41730551CN	1/8*44*5.5	B18	S120031501TN	M3*15
A4	SA41730601CN	1/8*44*6	B19	S120031601TN	M3*16
A5	SA41740301CN	9/64*40*3	B20	S120031801TN	M3*18
A6	SA41740402CN	9/64*40*4	B21	S120032003TD	M3*20
A7	SA41740401SA	9/64*40*4	B22	S120032001TN	M3*20
A8	SA41740403CL	9/64*40*4	B23	S120032501TN	M3*25
A9	SA41740404CN	9/64*40*4	B24	S120033001TN	M3*30 Half Threads
A10	SA41740501CN	9/64*40*5	B25	S120040501TD	M4*5
A11	SA41740601CN	9/64*40*6	B26	S120040502TN	M4*5
A12	SA41740602CN	9/64*40*6	B27	S120040602TD	M4*6
A13	SA41740701CN	9/64*40*7	B28	S120040601TN	M4*6
A14	SA41740801CN	9/64*40*8	B29	S120040801TD	M4*8
A15	SA41740802CN	9/64*40*8	B30	S120040802TN	M4*8
A16	SA41740803CN	9/64*40*8	B31	S120041001TD	M4*10
A17	SA41741001CN	9/64*40*10	B32	S120041002TN	M4*10
A18	SA41741202CN	9/64*40*12	B33	S120041201TD	M4*12
A19	SA41741501CN	9/64*40*15	B34	S120041202TN	M4*12
A20	SA41750431TN	11/64*40*4.3	B35	S120041401TN	M4*14
A21	SA41750701CN	11/64*40*7	B36	S120041502TD	M4*15
A22	SA41750751CN	11/64*40*7.5	B37	S120041501TN	M4*15
A23	SA41750901SH	11/64*40*9	B38	S120041601TN	M4*16
A24	SA41751151CN	11/64*40*11.5	B39	S120041801TN	M4*18
A25	SA41751201CN	11/64*40*12	B40	S120042002TD	M4*20
A26	S141030801SC	M3*8	B41	S120042001TN	M4*20
A27	S141030802SD	M3*8	B42	S120042502TD	M4*25
A28	S141031001CC	M3*10	B43	S120042501TN	M4*25
A29	S141041001SC	M4*10	B44	S120042504TN	M4*25 Half Threads
			B45	S120043001TN	M4*30
			B46	S120043502TD	M4*35
			B47	S120043501TN	M4*35
			B48	S120044001TN	M4*40
			B49	S120044501TN	M4*45
B	Hexagon Socket Head Cap Screw		B50	S120050601TN	M5*6
B1	S120020801TD	M2*8	B51	S120050801TD	M5*8
B2	S120021001TD	M2*10	B52	S120050802TN	M5*8
B3	S120480501TN	M2.6*5	B53	S120051001TD	M5*10
B4	S120030301TN	M3*3	B54	S120051002TN	M5*10
B5	S120030401TN	M3*4	B55	S120051004TP	M5*10
B6	S120030502TD	M3*5	B56	S120051201TD	M5*12
B7	S120030501TN	M3*5	B57	S120051202TN	M5*12
B8	S120030601TD	M3*6	B58	S120051401TN	M5*14
B9	S120030602TN	M3*6	B59	S120051501MZ	M5*15
B10	S120030804MZ	M3*8	B60	S120051502TD	M5*15
B11	S120030801TD	M3*8	B61	S120051503TN	M5*15
B12	S120030802TN	M3*8	B62	S120051601TN	M5*16
B13	S120031001TD	M3*10	B63	S120051801TN	M5*18
B14	S120031002TN	M3*10	B64	S120052001TD	M5*20

B.C

No.	Part No.	Remark	No.	Part No.	Remark
B	Hexagon Socket Head Cap Screw		B114	S120086001TN	M8*60
B65	S120052002TN	M5*20	B115	S120087001TN	M8*70
B66	S120052201TN	M5*22	B116	S120102002TD	M10*20
B67	S120052301TN	M5*23	B117	S120102001TN	M10*20
B68	S120052501TN	M5*25	B118	S120102501TN	M10*25
B69	S120053001TN	M5*30	B119	S120103001TN	M10*30
B70	S120053503TD	M5*35	B120	S120103501TN	M10*35
B71	S120053501TN	M5*35	B121	S120104001TN	M10*40
B72	S120053502TN	M5*35 Half Threads	B122	S120123001TN	M12*30
B73	S120054001TN	M5*40	B123	S120123501TN	M12*35
B74	S120054501TN	M5*45	B124	S120081801TN	M8*18
B75	S120055001TN	M5*50	B125	S120470501TN	M2.5*5
B76	S120055002TN	M5*50 Half Threads	B126	S120052502TD	M5*25
B77	S120055501TN	M5*55	B127	S120030302TD	M3*3
B78	S120056001TN	M5*60	B128	S120051504TN	M5*15 Low Head
B79	S120056003TN	M5*60 Half Threads	B129	S120031801TD	M3*18
B80	S120060801TN	M6*8	B130	S120052801TN	M5*28
B81	S120060901TN	M6*9	B131	S120044502TN	M4*45 Half Threads
B82	S120061001TN	M6*10	B132	S120081501TD	M8*15
B83	S120061202TD	M6*12	B133	S120051802TD	M5*18
B84	S120061201TN	M6*12	B134	S120470401TN	M2.5*4
B85	S120061501TD	M6*15	B135	S120033003SD	M3*30
B86	S120061502TN	M6*15	B136	S120030402TD	M3*4
B87	S120061801TD	M6*18	B137	S120033002TN	M3*30
B88	S120061802TN	M6*18	B138	S120067502TN	M6*75
B89	S120062001TN	M6*20	B139	S120050501TN	M5*5
B90	S120062501TN	M6*25			
B91	S120063001TN	M6*30			
B92	S120063501TN	M6*35			
B93	S120064001TN	M6*40			
B94	S120064501TN	M6*45			
B95	S120064502TN	M6*45 Half Threads	C	Hexagon Bolt	
B96	S120065001TN	M6*50 Half Threads	C1	S121030601SD	M3*6
B97	S120066501TN	M6*65	C2	S121040801SD	M4*8
B98	S120067501TN	M6*75 Half Threads	C3	S121042501SD	M4*25
B99	S120068001TN	M6*80 Half Threads	C4	S121051001SD	M5*10
B100	S12006A001TN	M6*100	C5	S121051502SC	M5*15
B101	S120081201TN	M8*12	C6	S121051501SD	M5*15
B102	S120081502TN	M8*15	C7	S121052001SD	M5*20
B103	S120081503TP	M8*15	C8	S121061501SC	M6*15
B104	S120081601TN	M8*16	C9	S121062501TN	M6*25
B105	S120082001TN	M8*20	C10	S121064501SD	M6*45
B106	S120082502TN	M8*25	C11	S121065001SC	M6*50
B107	S120083001TN	M8*30	C12	S121065002SD	M6*50
B108	S120083501TN	M8*35	C13	S121065501SD	M6*55
B109	S120084001TN	M8*40	C14	S121066501SD	M6*65
B110	S120084002TN	M8*40 Half Threads	C15	S121067501SC	M6*75
B111	S120084501TN	M8*45	C16	S121081501TN	M8*15
B112	S120084502TN	M8*45 Half Threads	C17	S121081801TN	M8*18
B113	S120085001TN	M8*50	C18	S121103001TN	M10*30

No.	Part No.	Remark	No.	Part No.	Remark
C Hexagon Bolt			E7	S160470402MZ	M2.5*4
C19	S121103502SC	M10*35	E8	S160470501MZ	M2.5*5
C20	S121103501TN	M10*35	E9	S160470801MZ	M2.5*8
C21	S121104001SC	M10*40	E10	S160471301MZ	M2.5*13
C22	S121125001TN	M12*50	E11	S160471302SD	M2.5*13
C23	S12112B001TN	M12*110	E12	S160480601SD	M2.6*6
C24	S121082501TN	M8*25	E13	S160030301MZ	M3*3
C25	S121102501TN	M10*25	E14	S160030302SD	M3*3
C26	S121082202TN	M8*22	E15	S160030403CD	M3*4
C27	S121041001SD	M4*10	E16	S160030401MZ	M3*4
C28	S121040601SD	M4*6	E17	S160030402SD	M3*4
			E18	S160030501MZ	M3*5
			E19	S160030502SD	M3*5
			E20	S160030601MZ	M3*6
			E21	S160030603SA	M3*6
			E22	S160030602SD	M3*6
D Round Fillister Head Screw			E23	S160030801MZ	M3*8
D1	SA43740401CL	9/64*40*4	E24	S160030803SA	M3*8
D2	SA43740501CL	9/64*40*5	E25	S160030802SD	M3*8
D3	SA43740502CN	9/64*40*5	E26	S160031001MZ	M3*10
D4	SA43740503CN	9/64*40*5	E27	S160031003SC	M3*10 Half Threads
D5	SA43740504CN	9/64*40*5	E28	S160031002SD	M3*10
D6	SA43740601CL	9/64*40*6	E29	S160031101SC	M3*11 Half Threads
D7	SA43740602CN	9/64*40*6	E30	S160031201MZ	M3*12
D8	SA43740603CL	9/64*40*6	E31	S160031202SD	M3*12
D9	SA43740604CN	9/64*40*6	E32	S160031401SA	M3*14
D10	SA43740682CN	9/64*40*6.8	E33	S160031402SD	M3*14
D11	SA43740801CL	9/64*40*8	E34	S160031501SD	M3*15
D12	SA43740802CN	9/64*40*8	E35	S160031601SD	M3*16
D13	SA43741001CN	9/64*40*10	E36	S160031801SD	M3*18
D14	SA43741201CN	9/64*40*12	E37	S160032001SD	M3*20
D15	SA43750601CN	11/64*40*6	E38	S160033001SD	M3*30
D16	SA43750652CN	11/64*40*6.5	E39	S160034001SD	M3*40 Half Threads
D17	SA43751051CN	11/64*40*10.5	E40	S160035001SD	M3*50 Half Threads
D18	SA43751201CN	11/64*40*12	E41	S160040401SD	M4*4
D19	SA43751501CN	11/64*40*15	E42	S160040501SD	M4*5
D20	SA43812451CN	9/32*28*24.5	E43	S160040601MZ	M4*6
D21	S143030501SD	M3*5	E44	S160040602SD	M4*6
			E45	S160040801SD	M4*8
			E46	S160041001SD	M4*10
			E47	S160041201SD	M4*12
			E48	S160041501SD	M4*15
			E49	S160041801SD	M4*18
E Pan Head Screw			E50	S160043001SD	M4*30
E1	S160410141MZ	M1.4*1.4	E51	S160045001SD	M4*50
E2	S160020202MZ	M2*2	E52	S160046001SD	M4*60
E3	S160020301MZ	M2*3	E53	S160050601SD	M5*6
E4	S160020401MZ	M2*4	E54	S160050701SD	M5*7
E5	S160020801MZ	M2*8	E55	S160050801SD	M5*8
E6	S160470301MZ	M2.5*3	E56	S160051002MZ	M5*10

E.F.G.H

No.	Part No.	Remark	No.	Part No.	Remark
E Pan Head Screw			F27	S150040802SD	M4*8
E57	S160051001SD	M5*10	F28	S150041001MZ	M4*10
E58	S160051201SD	M5*12	F29	S150041002SD	M4*10
E59	S160053001SD	M5*12	F30	S150041201SD	M4*12
E60	S160051501SD	M5*15	F31	S150041401SD	M4*14
E61	S160054501SD	M5*45	F32	S150041501SD	M4*15
E62	S160055001SD	M5*50	F33	S150042001SD	M4*20
E63	S160056001SD	M5*60	F34	S150042201SD	M4*22
E64	S160047001SD	M4*70	F35	S150042501SD	M4*25
E65	S160480801SD	M2.6*8	F36	S150050601SD	M5*6
E66	S160030504SC	M3*5	F37	S150050801SD	M5*8
E67	S160480602MZ	M2.6*6	F38	S150051001MZ	M5*10
E68	S160031403MZ	M3*14	F39	S150051002SD	M5*10
E69	S160042001SD	M4*20	F40	S150051201SD	M5*12
E70	S160044501SD	M4*45	F41	S150051501SD	M5*15
E71	S160020203SD	M2*2	F42	S150053001SD	M5*30
E72	S160470502SD	M2.5*5	F43	S150053501SD	M5*35
E73	SA60740551TN	9/64*40*5.5	F44	S150054001SD	M5*40
E74	S160431001MZ	M1.7*10	F45	S150061502SC	M6*15
			F46	S150061503SD	M6*15
			F47	S150063501SD	M6*35
			F48	S150081201SD	M8*12
			F49	S150087001TN	M8*70
F Countersunk Head Screw					
F1	SA51741001CN	9/64*40*10			
F2	SA50750801CN	11/64*40*8			
F3	S150020601SD	M2*6			
F4	S150030401MZ	M3*4			
F5	S150030402SD	M3*4	G Round Countersunk Head Screw		
F6	S150030501MZ	M3*5	G1	SA53730601CL	1/8*44*6
F7	S150030502SD	M3*5	G2	SA53740301CL	9/64*40*3
F8	S151030601SD	M3*6	G3	SA53740351CL	9/64*40*3.5
F9	S150030601MZ	M3*6	G4	SA53740401CL	9/64*40*4
F10	S150030602SD	M3*6	G5	SA53740601CL	9/64*40*6
F11	S150030701SD	M3*7	G6	SA53740701CL	9/64*40*7
F12	S151030801SD	M3*8	G7	SA53740951CL	9/64*40*9.5
F13	S150030801MZ	M3*8	G8	SA53741201CL	9/64*40*12
F14	S150030804SC	M3*8	G9	SA53740681CL	9/64*40*6.8
F15	S150030802SD	M3*8			
F16	S150030803SN	M3*8			
F17	S150031002MZ	M3*10			
F18	S150031001SD	M3*10			
F19	S150031201MZ	M3*12			
F20	S150031202SD	M3*12	H Truss Head Screw		
F21	S150031501MZ	M3*15	H1	SA30730701CL	1/8*44*7
F22	S150031601SD	M3*16	H2	SA30740301CL	9/64*40*3.5
F23	S150040501SD	M4*5	H3	SA30740401CL	9/64*40*4
F24	S150040602MZ	M4*6	H4	SA31740401CM	9/64*40*4
F25	S150040601SD	M4*6	H5	SA30740601CL	9/64*40*6
F26	S150040801MZ	M4*8	H6	SA30740801CL	9/64*40*8

No.	Part No.	Remark	No.	Part No.	Remark
H	Truss Head Screw		H56	S130060801SD	M6*8
H7	S130470301MZ	M2.5*3	H57	S130061001SD	M6*10
H8	S130470302SD	M2.5*3	H58	S130062201SD	M6*22
H9	S130470401MZ	M2.5*4	H59	S130062501SD	M6*25
H10	S130470402SA	M2.5*4	H60	S130063501SD	M6*35
H11	S130470403SD	M2.5*4	H61	S130064001SD	M6*40
H12	S130030301MZ	M3*3	H62	S130031501SD	M3*15
H13	S130030302SD	M3*3	H63	S130043501SD	M4*35
H14	S130030402SD	M3*4	H64	S130020201SD	M2*2
H15	S130030501MZ	M3*5	H65	S130470501SD	M2.5*5
H16	S130030502SD	M3*5	H66	S130052002MZ	M5*20
H17	S130030601MZ	M3*6	H67	S130054501SE	M5*45
H18	S130030602SD	M3*6	H68	S130050502MZ	M5*5
H19	S130030603SA	M3*6	H69	S130054001SD	M5*40
H20	S130030802SD	M3*8	H70	S130055001SD	M5*50
H21	S130030803SA	M3*8			
H22	S130031001MZ	M3*10			
H23	S130031002SD	M3*10			
H24	S130032001SD	M3*20			
H25	S130040401MZ	M4*4			
H26	S130040402SD	M4*4	J Round Head Screw		
H27	S130040501MZ	M4*5	J1	S162020301MZ	M2*3
H28	S130040502SD	M4*5	J2	S162030801SD	M3*8
H29	S130040601MZ	M4*6	J3	S162030802SE	M3*8
H30	S130040602SD	M4*6	J4	S162031001MZ	M3*10
H31	S130040651SD	M4*6.5			
H32	S130040801MZ	M4*8			
H33	S130040802SD	M4*8			
H34	S130040803MZ	M4*8 JIS			
H35	S130041002MZ	M4*10			
H36	S130041001SD	M4*10	K Slotted Set Screw		
H37	S130041201SD	M4*12	K1	SA71730351CN	1/8*44*3.5
H38	S130041502SD	M4*15	K2	SA71740601CN	9/64*40*6
H39	S130042001SD	M4*20	K3	SA71750251CN	11/64*40*2.5
H40	S130050501SD	M5*5	K4	SA71750351CN	11/64*40*3.5
H41	S130050602MZ	M5*6	K5	SA71750401CN	11/64*40*4
H42	S130050601SD	M5*6	K6	SA71750501CN	11/64*40*5
H43	S130050651SD	M5*6.5	K7	SA71790501CN	15/64*28*5
H44	S130050701SD	M5*7	K8	SA71791001CN	15/64*28*10
H45	S130050801MZ	M5*8	K9	SA71791501CN	15/64*28*15
H46	S130050802SD	M5*8	K10	SA71791701CN	15/64*28*17
H47	S130051002MZ	M5*10	K11	SA71800401CN	1/4*40*4
H48	S130051001SD	M5*10	K12	SA71800451CN	1/4*40*4.5
H49	S130051201MZ	M5*12	K13	SA71800501CN	1/4*40*5
H50	S130051202SD	M5*12	K14	SA71800601CN	1/4*40*6
H51	S130051501SD	M5*15	K15	SA71800801CN	1/4*40*8
H52	S130052001SD	M5*20	K16	SA71811201CN	9/32*28*12
H53	S130052502SD	M5*25	K17	S171050601TN	M5*6
H54	S130053001SD	M5*30			
H55	S130053501SD	M5*35			

No.	Part No.	Remark	No.	Part No.	Remark
L Hexagon Socket Head Set Screw			M Hexagon Socket Head Button Screw		
L1	SA70730251CN	1/8*44*2.5	M1	S124030401SC	M3*4
L2	SA70730301CN	1/8*44*3	M2	S124040601SC	M4*6
L3	SA70750901CN	11/64*28*9	M3	S124040802SC	M4*8
L4	SA70750401CN	11/64*40*4	M4	S124040803SD	M4*8
L5	SA70750601CN	11/64*40*6	M5	S124051001SC	M5*10
L6	SA70750801CN	11/64*40*8	M6	S124051002SD	M5*10
L7	SA70790401CN	15/64*28*4	M7	S124051501SD	M5*15
L8	SA70790901CN	15/64*28*9	M8	S124081201SC	M8*12
L9	S170470301TN	M2.5*3	M9	S124081202SD	M8*12
L10	S170030201TN	M3*2	M10	S124081501SD	M8*15
L11	S170030301TN	M3*3	M11	S124030501SC	M3*5
L12	S170030401TN	M3*4	M12	S124030801SC	M3*8
L13	S170030501TN	M3*5	M13	S124030502TC	M3*5
L14	S170030601TN	M3*6	M14	S124030402SD	M3*4
L15	S170030801TN	M3*8	M15	S124030601SD	M3*6
L16	S170040301TN	M4*3	M16	S124040401SD	M4*4
L17	S170040401TN	M4*4	M17	S124030602SC	M3*6
L18	S170040501TN	M4*5			
L19	S170040601TN	M4*6			
L20	S170040602TN	M4*6 Half Threads			
L21	S170040801TN	M4*8			
L22	S170041001TN	M4*10	N Screw with Washer		
L23	S170041201TN	M4*12	N1	S660480601SE	M2.6*6
L24	S170050401TN	M5*4	N2	S660030601SE	M3*6
L25	S170050501TN	M5*5	N3	S660030801SE	M3*8
L26	S170050601TN	M5*6	N4	S660031001SE	M3*10
L27	S170050801TN	M5*8	N5	S660031501SE	M3*15
L28	S170051001TN	M5*10	N6	S660031601SE	M3*16
L29	S170051201TN	M5*12	N7	S660031801SE	M3*18
L30	S170051501TN	M5*15	N8	S660040601SE	M4*6
L31	S170060501TN	M6*5	N9	S660040801SE	M4*8
L32	S170060601TN	M6*6	N10	S660041001SE	M4*10
L33	S170060801TN	M6*8	N11	S660041201SE	M4*12
L34	S170061001TN	M6*10	N12	S660045501SE	M4*55
L35	S170061801TN	M6*18	N13	S660051001SE	M5*10
L36	S170080801TN	M8*8	N14	S660051201SE	M5*12
L37	S170081001TN	M8*10	N15	S660051401SE	M5*14
L38	S170081501TN	M8*15	N16	S660051801SE	M5*18
L39	S170031001TN	M3*10	N17	S660030801MZ	M3*8
L40	S170031201TN	M3*12	N18	S660030502MZ	M3*5
L41	S170053001TN	M5*30	N19	S660031502MZ	M3*15
L42	S170061201TN	M6*12	N20	S660030603S1	M3*6 (P-4)
L43	S174060601TN	M6*6B	N21	S660030802S1	M3*8 (P-3)
L44	S170050802TN	M5*8 Narrow Treading			

No.	Part No.	Remark	No.	Part No.	Remark
P	Nut		P50	S212470001SC	M2.5 Type 3
P1	SB10730601CN	1/8*44*6*3	P51	SB12750701SC	11/64*7*2.2 Type 3
P2	SB10740601CL	9/64*40*6*2	P52	S211040001SD	M4 Type 2
P3	SB10740602CN	9/64*40*6*3	P53	SB12740601MZ	9/64*6*2 Type 3
P4	SB10750602CN	11/64*40*6*2	P54	SB10750601CN	11/64*6*2.2
P5	SB10750603CN	11/64*40*6*3	P55	S212030003SD	M3 Type 3
P6	SB10750701CN	11/64*40*7*3	P56	S217060001SD	M6 Cap
P7	SB11750701CN	11/64*40*7*3	P57	S217030001SD	M3 Cap
P8	S210420001XA	M1.6 Type 1			
P9	S210020001SD	M2 Type 1			
P10	S212020002SD	M2 Type 3			
P11	S210460002SD	M2.3 Type 1			
P12	S210470001MZ	M2.5 Type 1			
P13	S212480001SD	M2.6 Type 3	R Washer		
P14	S210030001MZ	M3 Type 1	R1	S301410301MZ	Plain M1.4*3*t0.3
P15	S210030002SC	M3 Type 1	R2	S301020351XZ	Plain M2*3.5*t0.5
P16	S210030003SD	M3 Type 1	R3	S301020431SD	Plain M2*4.3*t0.3
P17	S215030001SD	M3 Thumbscrew Type 2	R4	S301480501XB	Plain M2.6*5*t0.5
P18	S212030001SC	M3 Type 3	R5	S301480751XB	Plain M2.6*7.5*t0.5
P19	S212030002SD	M3 Type 3	R6	S301030602XZ	Plain M3*6*t0.3
P20	S212530001SC	M3.5 Type 3	R7	S301030603SC	Plain M3*6*t0.5
P21	S210040001SC	M4 Type 1	R8	S301030601SD	Plain M3*6*t0.5
P22	S210040002SD	M4 Type 1	R9	S301030701SD	Plain M3*7*t0.5
P23	S212040001SC	M4 Type 3	R10	S301030804SD	Plain M3*8*t0.3
P24	S212040002SD	M4 Type 3	R11	S301030805MZ	Plain M3*8*t0.5
P25	S217040001SD	M4 Cap	R12	S301030801SC	Plain M3*8*t0.5
P26	S210050001SC	M5 Type 1	R13	S301030802SD	Plain M3*8*t0.5
P27	S210050002SD	M5 Type 1	R14	S301030803SD	Plain M3*8*t1
P28	S212050001SC	M5 Type 3	R15	S301040805SC	Plain M4*8*t0.5
P29	S212050002SD	M5 Type 3	R16	S301040802SD	Plain M4*8*t0.5
P30	S217050001SD	M5 Cap	R17	S301040804SC	Plain M4*8*t0.8
P31	S210060001SC	M6 Type 1	R18	S301040803SD	Plain M4*8*t0.8
P32	S210060002SC	M6 Type 1 (Left)	R19	S301041004MZ	Plain M4*10*t0.8
P33	S210060003SD	M6 Type 1	R20	S301041002SC	Plain M4*10*t0.8
P34	S210060004SD	M6 Type 1 (Left)	R21	S301041003SD	Plain M4*10*t0.8
P35	S212060001SC	M6 Type 3	R22	S301041201SC	Plain M4*12*t1
P36	S210080001SC	M8 Type 1	R23	S301051002SC	Plain M5*10*t0.8
P37	S210080002SD	M8 Type 1	R24	S301051003SD	Plain M5*10*t0.8
P38	S212080001SC	M8 Type 3	R25	S301051204MZ	Plain M5*12*t0.8
P39	S212080002SD	M8 Type 3	R26	S301051202SC	Plain M5*12*t0.8
P40	S210100001SC	M10 Type 1	R27	S301051203SD	Plain M5*12*t0.8
P41	S213100002SD	M10 With Flange	R28	S301061102SC	Plain M6*11*t1.6
P42	S213100003SD	M10 With Disk Spring	R29	S301061151SC	Plain M6*11.5*t0.8
P43	S210120001SC	M12 Type 1	R30	S301061301SC	Plain M6*13*t1.0
P44	S212120001SC	M12 Type 3	R31	S301061302SD	Plain M6*13*t1.0
P45	S212120002SD	M12 Type 3	R32	S301061601SC	Plain M6*16*t1.0
P46	S210160001SD	M16 Type 1	R33	S301081601SD	Plain M8*16*t1.2
P47	S212160002SC	M16 Type 1	R34	S301081801SC	Plain M8*18*t1.6
P48	S212160001SD	M16 Type 3	R35	S301081802SD	Plain M8*18*t1.6
P49	S210200001SC	M20 Type 1	R36	S301081803SC	Plain M8*18*t3.2

$$R$$
[illegible]

1st Edition April, 2013

■ **Manufactured by:**
Tokai Industrial Sewing Machine Co., Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, Japan
Telephone:568-33-1161 Fax:568-33-1191

■ **Distributed by:**
Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, Japan
Telephone:52-932-3444 Fax:52-932-2457

●Copy, reprint, or reform of a part or whole of this manual without permission is prohibited.

THE TAJIMA GROUP

<http://www.tajima.com>

Tajima Industries Ltd.

19-22, Shirakabe, 3-chome, Higashi-ku, Nagoya, 461-0011, JAPAN
TEL.81-52-932-3811 FAX.81-52-932-3815

Tokai Industrial Sewing Machine Co.,Ltd.

NO.1800, Ushiyama-cho, Kasugai, Aichi-pref., 486-0901, JAPAN
TEL.81-568-33-1161 FAX.81-568-33-1191